



Make a connection to Life®



Make a connection to Life

A lifetime of waterfront adventures await you with the family-friendly Connect-A-Dock floating dock system. The modular design and rugged construction allow a simple, quick and reliable way for you to build boat docks, rowing docks, fishing docks, swimming platforms and anything else you can imagine at home, in parks and at resorts.

A Connect-A-Dock floating dock system will help you create many family memories of safe and enjoyable fun around the water! Make your dock an extension of your Life

Why a modular floating dock is right for you?

Connect-A-Dock floating dock systems are versatile — the modules can be configured end to end or side to side, as long and wide as you wish and for many different applications or configurations on water or land.

Its 5 minute (per module) attachment system means easy installation and the rotationally molded polyethylene construction ensures many years of dependable service.



Applications

- Floating dock slip
- Walkway in marshy wetlands
- Floating dock for cabins and farm ponds
- Airplane docks for fly-in fishing
- Swim platforms
- Moorings for boats
- Rowing/sculling docks
- Ideal in fluctuating water levels

Benefits

- Modular design
- Easy to install
- Wood grain anti-skid surface
- UV protected
- Environmentally friendly
- Does not contain CCA
- Salt water safe
- 8-Year product warranty

Let us help you find a dealer in your area

CALL OR VISIT OUR WEBSITE FOR A QUOTE
VOLLMAR POND & LAKE MANAGEMENT
830-992-0928
www.texaspondmanagement.com

connectadock.com




It's Easy and Fast to Install —



However You Connect It — Make It Your Own

The total design versatility of Connect-A-Dock means that every dock is unique! Plan your own installation with these basic components. For a look at our complete Connect-A-Dock product line, visit our web site at connectadock.com.



Float Section FS 1060
1000 Series – Low Profile

45" x 60" x 10" (114.3 cm x 152.4 cm x 25.4 cm)
Maximum flotation: 690 lbs (313 kg) per module
Freeboard: 8" (20.32 cm) above the water



Float Section FS2120
2000 Series – High Profile

72" x 120" x 20" (182.9 cm x 304.8 cm x 51 cm)
Maximum flotation: 4800 lbs (2177 kg) per module
Freeboard: 17" (43.18 cm) above the water




Extra Flotation
Provides added buoyancy



Finishing Connector
Smooths out the dock edge



Float Connector
Connects float modules together



Pole Connector
Anchors dock with pipe



2000 Series Bumper
Attaches in the float section sockets



Dead Man Collar
Fits into pole connector



Piling Loop
Anchors to existing piling poles



Gangway
4' x 4', 4' x 8' and 4' x 12' sizes
Pre-assembled panels and light weight aluminum frame



2000 Series Bench
Designed to seat two people comfortably



Power Pedestal
Water & Electrical



Cleat
Boat tie-down



Dock Boxes
Five sizes



Swim Ladder
Aluminum



Guardrail
For safety